



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

## Season 3 DB Kind of Two GMT





**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

## Season 3

### DB Kind of Two GMT

#### Technical specifications

Name:	DB Kind of Two GMT
Reference:	DBK2V1SB
Functions:	Dual front and back display of hours and minutes, jumping seconds, Second time zone (GMT)
Movement:	DB2517
Type:	Mechanical hand-wound movement
Adjustment:	Winding, setting the time and the GMT, by means of the crown (3 positions)

#### ***Technical features of calibre DB2517***

Number of parts:	394
Jewelling:	58 rubis
Diameter:	30 mm
Power reserve:	4 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i>
Specificities:	Titanium balance wheel with white gold inserts, optimised for temperature differences and air penetration <i>De Bethune Patent (2016)</i>  "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i>  Silicon escape wheel  De Bethune Dead Beat Second De Bethune Innovation (2011)  GMT allowing to adjust 2 time zones, different on each side
Frequency:	36,000 vibrations per hour
Adornment:	Motion works bridge and concave cover plate in black grade 5 titanium, mirror-polished Black Grade 5 titanium bridge cover with micro-blasted stages Hand snailed barrels Steel parts polished and chamfered by hand



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

***Contemporary single-sided display***

Display: Blued polished titanium hours and minutes indication  
Minute indication on the periphery  
Hour indication centered around the balance wheel at 6 o'clock

Dial: Hour ring and black colour minute ring with golden transfer

***Classic reverse side display***

Display: Hand-polished and blued titanium hands for hours and minutes  
Polished titanium jumping seconds hand

Dial: Black dial with silvered transfer, with convex levels and with a black and blue bi-color guilloché central part

***Case and strap***

Case material: Grade 5 titanium / Matte black zirconium

Case diameter: 43,3 mm

Case thickness: 11,4 mm

Crown : at noon on the front side, at 6 o'clock on the reverse side, and integrated into the case

Lugs: Matte black zirconium floating lugs – *De Bethune Patent (2006)*  
With case turning mechanism that can be clearly positioned on the front or back side

Crystal doubles-sides: In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating

Water resistance: 3 ATM

Strap: Nubuck velcro

Buckle: Zirconium buckle and matte black grade 5 titanium pin