



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

**DB Eight**  
Technical Specifications





**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

## **DB8 Eight**

### **Technical Specifications**

Name :	DB Eight
Reference :	DB8REYS2
Functions :	Hours, Minutes, chronograph mono pusher button with 60 s seconds counter and 60 min instantaneous minute counter
Movement :	DB3000
Type :	Mechanical manual-winding caliber
Adjustement :	Winding and setting the time by means of the crown (2 positions) Monopusher button integrated in the crown for chronograph functions

#### ***Technical features of caliber DB3000***

Number of parts :	281
Jewelling :	31 jewels
Diameter :	30 mm
Power reserve :	60 hours
Specificities :	Titanium balance wheel with white gold inserts, optimized for temperature differences and air penetration <i>De Bethune Patent (2016)</i>  "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i>  Silicon escape wheel
Frequency :	28'800 vibrations per hour
Adornment :	All steels are hand-beveled and polished Flat beveled, flat polished and chromium-plated steel chronograph bridges Hand-snailed barrels Handmade finishing decorations



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

***Display***

Display : Hour and minutes hands, second counter and minute counter in polished yellow gold and polished yellow titanium.

Dial : Chocolate color, radiating guilloché 12 sectors. Golden Arabic numbers. Indication of the 60-minute counter by a barley grain engine-turned sub-dial at 6 o'clock.

***Case and strap***

Case material : Polished yellow gold

Case diameter : 42.4 mm

Case thickness : 9,2 mm

Lugs : Ogival lugs

Crystal : Saphir crystal (1 800 Vickers hardness), with double anti-reflective coating

Case back : Open back  
Saphir crystal (1 800 Vickers hardness), with double anti-reflective coating

Water-resistance : 3 ATM

Strap : Extra-supple alligator leather, alligator lining

Buckle : Polished yellow gold